

L Number	Hits	Search Text	DB	Time stamp
5	6484	(section\$3 window\$3 region\$3 kernel\$1 template\$1 area\$1) same (variation\$1 vary\$3 variable difference\$1 divergence) same (match\$3 recogniz\$3 recognition identif\$7 distinguish\$3) same (intensit\$3 illuminat\$4 pos\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:57
6	7718	382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:57
9	18964	still adj image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
10	2473	(still adj image\$1) and (stab\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
14	1390	uniform with intensit\$3 with region\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
15	326	(uniform with intensit\$3 with region\$1) and recogni\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
16	2169	382/117,118,209,216,218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
17	4	(uniform with intensit\$3 with region\$1) and 382/117,118,209,216,218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
18	7718	382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
19	22661	(section\$3 window\$3 region\$3) with (stab\$6 uniform constant) with (variation\$1 chang\$3 difference\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
20	233	evaluat\$3 with influenc\$3 with variation\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
21	195	(section\$3 window\$3 region\$3) and (stab\$6 uniform constant) and (variation\$1 chang\$3 difference\$1) and 382/117-118.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
22	7354	((evaluat\$3 analyz\$5 calculat\$3) near2 (variation\$3 vary\$3)) and (recogni\$5 match\$3 identif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
24	7718	382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58

36	16464	select\$3 near2 window\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
38	23373	(select\$3 choos\$3 extract\$3 determin\$3) near4 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near8 (invarian\$3 varian\$3 change\$1 differen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:58
39	12231	(select\$3 choos\$3 extract\$3 determin\$3) near2 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near6 (invarian\$3 varian\$3 change\$1 differen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:59
40	323	((select\$3 choos\$3 extract\$3 determin\$3) near4 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near8 (invarian\$3 varian\$3 change\$1 differen\$3)) and (382/115-118,181,190,195,205,209,216,274,275	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:59
41	5053	382/115-118,181,190,195,205,209,216,274,275 (select\$3 choos\$3 extract\$3 determin\$3) near4 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near6 (invarian\$3 varian\$3 change\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:59
46	150	(select\$3 choos\$3 extract\$3 determin\$3) near2 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near6 (fluctuat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:59
52	818	382/209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:59
53	402	382/209.ccls. and (intensit\$3 illuminat\$3 pose\$1 posing variation\$1 variance\$1 fluctuat\$4 invarian\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 10:59
54	0	382/117-118.pn.	USPAT	2004/05/09 10:59
58	0	20010038713.pn.	USPAT	2004/05/09 10:59
60	1	5715325.pn.	USPAT	2004/05/09 10:59
62	9723	382/117-188.ccls.	USPAT	2004/05/09 10:59
65	0	20010038712.pn.	USPAT	2004/05/09 11:00
4	43	((evaluat\$3 analyz\$5 calculat\$3) near2 influence\$1 near2 (variation\$3 vary\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
7	198	((section\$3 window\$3 region\$3 kernel\$1 template\$1 area\$1) same (variation\$1 vary\$3 variable difference\$1 divergence) same (match\$3 recogniz\$3 recognition identif\$7 distinguish\$3) same (intensit\$3 illuminat\$4 pos\$2)). and (382/115-118,181,190,195,205,209,216,274,275	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
8	16	382/115-118,181,190,195,205,209,216,274,275	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
11	82	382/115-118,181,190,195,205,209,216,274,275 (evaluat\$3 analyz\$5 calculat\$3 analyzing) with (variation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00

12	48	("5666213" "5822007" "5963270" "4607387" "4794647" "5027203" "5706055" "5973742" "6032167" "6058142" "6078618" "6141035" "6144755" "4539703" "5625782" "5892519" "5652616" "6222883" "6222883" "5287130" "6108039" "4780976" "4995185" "5267403" "5796434" "5838827" "6105296" "6105297" "6253031" "4508438" "5410346" "5883969" "5973758" "5870172" "4439157" "4948246" "5497434" "5696836" "4891695" "5185666" "5400087" "5515448" "5745907" "5748247" "5982940" "6215898" "6215898" "6249550" "6366616" "5900916").pn. 382/209.ccls. and (382/115-118.ccls.)	USPAT	2004/05/09 11:00
13	41	20010038713.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 11:00
23	1	20030115473.pn.	USPAT; US-PGPUB	2004/05/09 11:00
25	1	5845048.pn. 20020184538.pn.	USPAT; US-PGPUB	2004/05/09 11:00
26	2	((uniform with intensit\$3 with region\$1) and recogni\$5) and 382/117,118,209,216,218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 11:00
27	4	(382/115-118,181,190,195,205,209,216,274,275,280,218.ccls. 340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.) and (uniform with intensit\$3 with region\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 11:00
28	15			

29	5	("5497430"   "5642431"   "5710833"   "5870138"   "6188777").PN.	USPAT	2004/05/09 11:00
30	97	(382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.) and ((section\$3 window\$3 region\$3) with (stab\$6 uniform constant) with (variation\$1 chang\$3 difference\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
31	12	("4523229"   "4648051"   "4695884"   "5621824"   "5696607"   "5715325"   "5850469"   "5912992"   "6124864"   "6232965"   "6351321"   "6532454").PN.	USPAT	2004/05/09 11:00
32	100	(evaluat\$3 with influenc\$3 with variation\$1) and (match\$ or recogni\$7 or identifi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
33	41	(section\$3 window\$3 region\$3) and ((stab\$6 uniform constant) with (variation\$1 chang\$3 difference\$1)) and 382/117-118.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
34	2	fast adj moir adj interferometry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
35	74	((evaluat\$3 analyz\$5 calculat\$3) near2 (variation\$3 vary\$3)) and (recogni\$5 match\$3 identif\$7)) and (382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 382/117-118.ccls.) and au	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
37	12	382/117-118.ccls.) and au	USPAT	2004/05/09 11:00
42	204	((select\$3 choos\$3 extract\$3 determin\$3) near2 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near6 (invarian\$3 varian\$3 change\$1 differen\$3)) and (382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 382/117-118.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
43	2	382/117-118.ccls.) and au	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
44	75	((select\$3 choos\$3 extract\$3 determin\$3) near2 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near6 (invarian\$3 varian\$3 change\$1)) and (382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
45	55	382/117-118.ccls.) and au	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
47	2	20030156737.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
48	4	((select\$3 choos\$3 extract\$3 determin\$3) near2 (window\$1 section\$ area\$1 template\$1 partition\$1 kernel\$1) near6 (fluctuat\$4)) and (382/115-118,181,190,195,205,209,216,274,275,340/5.1,5.2,5.8,5.81,5.82,5.83.ccls. 348/77-78.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
49	2	20016053242.pn, 5.81,5.82,5.83.ccls. 348/77-78.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
50	2	20020009221.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00

51	2	20010042068.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
55	232	382/209.ccls. and (select\$3 choos\$3 set\$4 pick\$3) same (intensit\$3 illuminat\$3 pose\$1 posing variation\$1 variance\$1 fluctuat\$4 invarian\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
56	299	382/117-118.ccls.	USPAT	2004/05/09 11:00
57	17	382/117-118.ccls. and 382/209.ccls.	USPAT	2004/05/09 11:00
59	1	20010038713.pn.	USPAT; US-PGPUB	2004/05/09 11:00
61	1	5715325.pn. and threshold\$1	USPAT	2004/05/09 11:00
63	299	382/117-118.ccls.	USPAT	2004/05/09 11:00
64	58	(width or size\$1 or length\$1) near2 (feature adj value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:00
66	1	20010038712.pn.	USPAT; US-PGPUB	2004/05/09 11:00